


ADAPTEURS COUDES BSP BSP ELBOW ADAPTERS

[illegible]

ADAPTEURS COUDES BSP - BSP ELBOW ADAPTERS

RV071

ADAPTEUR TOURNANT 90° MBSP + FBSP SWIVEL 90° ELBOW (WELDED)




Code Code	Type	Dimensions							
		Ø		F	F1	L	L1	CH1	CH3
		mm	inch						
RV071.0400	2550-04-04	8	5/16"	G 1/4	G 1/4	30	32	19	19
RV071.0600	2550-06-06	10	3/8"	G 3/8	G 3/8	37	38	22	22
RV071.0800	2550-08-08	12	1/2"	G 1/2	G 1/2	44	43	27	27
RV071.1200	2550-12-12	20	3/4"	G 3/4	G 3/4	59	62	32	32
RV071.1600	2550-16-16	25	1"	G 1	G 1	66	68	41	41
RV071.2000	2550-20-20	32	1.1/4"	G 1 1/4	G 1 1/4	71	76	50	50
RV071.2400	2550-24-24	38	1.1/2"	G 1 1/2	G 1 1/2	89	93	55	55
RV071.3200	2550-32-32	50	2"	G 2	G 2	113	123	70	70

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATIÈRE : Acier (sur demande : acier inox aisi 316) - MATERIAL : steel (on request : stainless steel aisi 316°)

RV105

ADAPTEUR ORIENTABLE 90° MBSP-ORING+MJIC 90° ADJUSTABLE STUD ELBOW BSP + JIC




Code Code	Type	Dimensions							
		Ø		F	F1	L	L1	CH1	CH2
		mm	inch						
RV105.0204	5230-02-04	6	1/4"	7/16-20	G 1/8	27	22	12	14
RV105.0404	5230-04-04	6	1/4"	7/16-20	G 1/4	33	23	14	19
RV105.0405	5230-04-05	8	5/16"	1/2-20	G 1/4	33	24	14	19
RV105.0406	5230-04-06	10	3/8"	9/16-18	G 1/4	33	27	14	19
RV105.0408	5230-04-08	12	1/2"	3/4-16	G 1/4	35	32	19	19
RV105.0604	5230-06-04	6	1/4"	7/16-20	G 3/8	37	27	19	22
RV105.0605	5230-06-05	8	5/16"	1/2-20	G 3/8	37	28	19	22
RV105.0606	5230-06-06	10	3/8"	9/16-18	G 3/8	37	29	19	22
RV105.0608	5230-06-08	12	1/2"	3/4-16	G 3/8	37	32	19	22
RV105.0610	5230-06-10	14-16	5/8"	7/8-14	G 3/8	40	36	22	22
RV105.0804	5230-08-04	6	1/4"	7/16-20	G 1/2	43	29	22	27
RV105.0806	5230-08-06	10	3/8"	9/16-18	G 1/2	43	31.5	22	27
RV105.0808	5230-08-08	12	1/2"	3/4-16	G 1/2	43	34	22	27
RV105.0810	5230-08-10	14-16	5/8"	7/8-14	G 1/2	43	36	22	27
RV105.0812	5230-08-12	18-20	3/4"	1.1/16-12	G 1/2	46.5	42	27	27
RV105.1210	5230-12-10	14-16	5/8"	7/8-14	G 3/4	50	39	27	36
RV105.1212	5230-12-12	18-20	3/4"	1.1/16-12	G 3/4	50	42	27	36
RV105.1616	5230-16-16	25	1"	1.5/16-12	G 1	53	46	33	41
RV105.2020	5230-20-20	30-32	1.1/4"	1.5/8-12	G 1 1/4	58	52	41	50

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

RV122

ADAPTEUR TOURNANT 90° COMPACT MBSP+FBSP CROU A JONC SWIVEL 90° ELBOW BSP




Code Code	Type	Dimensions							
		Ø		F	F1	L	L1	CH1	CH3
		mm	inch						
RV122.0200	4500-02	6	1/4"	G 1/8	G 1/8	20	22	12	14
RV122.0400	4500-04	8	5/16"	G 1/4	G 1/4	25	27	14	19
RV122.0600	4500-06	10	3/8"	G 3/8	G 3/8	30	32	19	22
RV122.0800	4500-08	12	1/2"	G 1/2	G 1/2	36	34	22	27
RV122.1000	4500-10	16	5/8"	G 5/8	G 5/8	36	36	22	30
RV122.1200	4500-12	20	3/4"	G 3/4	G 3/4	40	42	27	32
RV122.1600	4500-16	25	1"	G 1	G 1	43	46	33	41
RV122.2000	4500-20	32	1.1/4"	G 1 1/4	G 1 1/4	49	52	41	50
RV122.2400	4500-24	38	1.1/2"	G 1 1/2	G 1 1/2	60	59	50	55

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATIÈRE : Acier (sur demande : acier inox aisi 316) - MATERIAL : steel (on request : stainless steel aisi 316°)

RV141

ADAPTEUR 90° MBSP + MBSPT 90° ADAPTER MBSP + MBSPT




Code Code	Type	Dimensions		
		F	F1	CH
RV141.0200		G 1/8	G 1/8	14
RV141.0400		G 1/4	G 1/4	14
RV141.0600		G 3/8	G 3/8	19
RV141.0800		G 1/2	G 1/2	22
RV141.1200		G 3/4	G 3/4	27
RV141.1600		G 1	G 1	33
RV141.2000		G 1 1/4	G 1 1/4	41
RV141.2400		G 1 1/2	G 1 1/2	50

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

ADAPTEUR 90° FBSP + FBSP
90° FEMALE UNION ELBOW BSP

RV151




Code Code	Type	Dimensions				
		Ø		F	L1	CH1
		mm	inch			
RV151.0300	4570-02	6	1/4"	G 1/8	17	14
RV151.0400	4570-04	8	5/16"	G 1/4	22,5	19
RV151.0600	4570-06	10	3/8"	G 3/8	26	22
RV151.0800	4570-08	12	1/2"	G 1/2	31	27
RV151.1200	4570-12	20	3/4"	G 3/4	34,5	33
RV151.1600	4570-16	25	1"	G 1	41	41
RV151.2000	4570-20	32	1.1/4"	G 1 1/4	43	50

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATIÈRE : Acier (sur demande : acier inox aisi 316) - MATERIAL : steel (on request : stainless steel aisi 316°)

ADAPTEUR TOURNANT 45° MBSP + FBSP
SWIVEL 45° ELBOW (WELDED)

RV2650




Code Code	Type	Dimensions							
		Ø		F	F1	L	L1	CH1	CH3
		mm	inch						
RV2650.0404	2650-04-04	8	5/16"	G 1/4	G 1/4	17	44	19	19
RV2650.0606	2650-06-06	10	3/8"	G 3/8	G 3/8	20	52	22	22
RV2650.0808	2650-08-08	12	1/2"	G 1/2	G 1/2	23	53	27	27
RV2650.1212	2650-12-12	20	3/4"	G 3/4	G 3/4	29	73	32	32
RV2650.1616	2650-16-16	25	1"	G 1	G 1	35	85	41	41
RV2650.2020	2650-20-20	32	1.1/4"	G 1 1/4	G 1 1/4	33	84	50	50
RV2650.2424	2650-24-24	38	1.1/2"	G 1 1/2	G 1 1/2	41	103	55	55
RV2650.3232	2650-32-32	50	2"	G 2	G 2	53	134	65	70

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

COUDE ORIENTABLE 90° MBSP + MBSP
90° ADJUSTABLE STUD ELBOW BSP-BSP

RV305




Code Code	Type	Tuyau ID		Dimensions						
		mm	inch	F	F1	L	L1	CH1	CH2	
RV305.0202	3900-02-02	6	1/4"	G 1/8	G 1/8	27	22	12	14	
RV305.0402	3900-04-02	8-6	5/16"-1/4"	G 1/8	G 1/4	33	24,5	14	19	
RV305.4030	3900-04-04	8	5/16"	G 1/4	G 1/4	33	27	14	19	
RV305.0406	3900-04-06	8-10	5/16"-3/8"	G 3/8	G 1/4	35	32	19	19	
RV305.0602	3900-06-02	10-6	3/8"-1/4"	G 1/8	G 3/8	37	27	19	22	
RV305.0604	3900-06-04	10-8	3/8"-5/16"	G 1/4	G 3/8	37	29,5	19	22	
RV305.4050	3900-06-06	10	3/8"	G 3/8	G 3/8	37	32	19	22	
RV305.0608	3900-06-08	10-12	3/8"-1/2"	G 1/2	G 3/8	40	36	22	22	
RV305.0804	3900-08-04	12-8	1/2"-5/16"	G 1/4	G 1/2	43	31,5	22	27	
RV305.0806	3900-08-06	12-10	1/2"-3/8"	G 3/8	G 1/2	43	34	22	27	
RV305.4070	3900-08-08	12	1/2"	G 1/2	G 1/2	43	36	22	27	
RV305.0812	3900-08-12	12-20	1/2"-3/4"	G 3/4	G 1/2	46,5	42	27	27	
RV305.1206	3900-12-06	20-10	3/4"-3/8"	G 3/8	G 3/4	50	37	27	36	
RV305.1208	3900-12-08	20-12	3/4"-1/2"	G 1/2	G 3/4	50	39	27	36	
RV305.4090	3900-12-12	20	3/4"	G 3/4	G 3/4	50	42	27	36	
RV305.1216	3900-12-16	20-25	3/4"-1"	G 1	G 3/4	50	44	33	36	
RV305.1612	3900-16-12	25-20	1"-3/4"	G 3/4	G 1	53	44	33	41	
RV305.4110	3900-16-16	25	1"	G 1	G 1	53	46	33	41	
RV305.1620	3900-16-20	25-32	1"-1.1/4"	G 1 1/4	G 1	55,5	52	41	41	
RV305.2016	3900-20-16	32-25	1.1/4"-1"	G 1	G 1 1/4	58	49	41	50	
RV305.2020	3900-20-20	32	1.1/4"	G 1 1/4	G 1 1/4	58	52	41	50	
RV305.2424	3900-24-24	38	1.1/2"	G 1 1/2	G 1 1/2	63	59	50	55	

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATIÈRE : Acier (sur demande : acier inox aisi 316) - MATERIAL : steel (on request : stainless steel aisi 316°)

COUDE COMPACT 90° MBSP + FBSP
SWIVEL 90° COMPACT ELBOW BSP

RV3200




Code Code	Type	Tuyau ID		Dimensions						
		mm	inch	F	F1	L	L1	CH1	CH3	
RV3200.0202	3220-02-02	6	1/4"	G 1/8	G 1/8	17	17	14	14	
RV3200.0404	3220-04-04	8	5/16"	G 1/4	G 1/4	20	23	19	19	
RV3200.0606	3220-06-06	10	3/8"	G 3/8	G 3/8	24	25	22	22	
RV3200.0808	3220-08-08	12	1/2"	G 1/2	G 1/2	28	31	27	27	
RV3200.1212	3220-12-12	20	3/4"	G 3/4	G 3/4	34	35	33	32	
RV3200.1616	3220-16-16	25	1"	G 1	G 1	39	43	41	41	
RV3200.2020	3220-20-20	32	1.1/4"	G 1 1/4	G 1 1/4	47	50	50	50	
RV3200.2424	3220-24-24	38	1.1/2"	G 1 1/2	G 1 1/2	57	56	60	55	
RV3200.3232	3220-32-32	50	2"	G 2	G 2	60	67	75	70	

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

ADAPTEURS COUDES BSP - BSP ELBOW ADAPTERS

RV4510 ADAPTEUR TOURNANT 45° COMPACT MBSP + FBSP SWIVEL 45° ELBOW




Code Code	Type	Dimensions							
		Ø		F	F1	L	L1	CH1	CH3
		mm	inch						
RV4510.0200	4510-02	6	1/4"	G 1/8	G 1/8	19	20	12	14
RV4510.0400	4510-04	8	5/16"	G 1/4	G 1/4	23,5	21,5	14	19
RV4510.0600	4510-06	10	3/8"	G 3/8	G 3/8	26	26	19	22
RV4510.0800	4510-08	12	1/2"	G 1/2	G 1/2	32	29	22	27
RV4510.1200	4510-12	20	3/4"	G 3/4	G 3/4	33	32	27	32
RV4510.1600	4510-16	25	1"	G 1	G 1	37	37,5	33	41
RV4510.2000	4510-20	32	1.1/4"	G 1.1/4	G 1.1/4	37	39	41	50
RV4510.2400	4510-24	38	1.1/2"	G 1.1/2	G 1.1/2	47	46	50	55

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATIÈRE : Acier (sur demande : acier inox aisi 316) - MATERIAL : steel (on request : stainless steel aisi 316°)


RV4520 ADAPTEUR 90° COMPACT MBSP + MBSP 90° UNION ELBOW BSP



Code Code	Type	Dimensions				
		Ø		F	L	CH1
		mm	inch			
RV4520.0200	4520-02	6	1/4"	G 1/8	22	12
RV4520.0400	4520-04	8	5/16"	G 1/4	27	14
RV4520.0600	4520-06	10	3/8"	G 3/8	32	19
RV4520.0800	4520-08	12	1/2"	G 1/2	36	22
RV4520.1200	4520-12	20	3/4"	G 3/4	42	27
RV4520.1600	4520-16	25	1"	G 1	46	33
RV4520.2000	4520-20	32	1.1/4"	G 1.1/4	52	41
RV4520.2400	4520-24	38	1.1/2"	G 1.1/2	59	50

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

RV6215 ADAPTEUR ORIENTABLE 90° MBSP + MORFS 90° ADJUSTABLE STUD ELBOW BSP-ORFS



Code Code	Type	Dimensions							
		Ø		F	F1	L	L1	CH1	CH2
		mm	inch						
RV6215.0206	6215-02-06	6	1/4"	9/16-18	G 1/8	30	21	14	14
RV6215.0406	6215-04-06	6	1/4"	9/16-18	G 1/4	37	23	19	19
RV6215.0409	6215-04-09	8-10	5/16"-3/8"	11/16-16	G 1/4	37	25	19	19
RV6215.0411	6215-04-11	12	1/2"	13/16-16	G 1/4	37	28	19	19
RV6215.0606	6215-06-06	6	1/4"	9/16-18	G 3/8	38	23	19	22
RV6215.0609	6215-06-09	8-10	5/16"-3/8"	11/16-16	G 3/8	38	25	19	22
RV6215.0611	6215-06-11	12	1/2"	13/16-16	G 3/8	38	28	19	22
RV6215.0613	6215-06-13	14-16	5/8"	1-14	G 3/8	43	33,5	27	22
RV6215.0809	6215-08-09	8-10	5/16"-3/8"	11/16-16	G 1/2	48	29,5	27	27
RV6215.0811	6215-08-11	12	1/2"	13/16-16	G 1/2	48	30,5	27	27
RV6215.0813	6215-08-13	14-16	5/8"	1-14	G 1/2	48	33,5	27	27
RV6215.0814	6215-08-14	18-20	3/4"	1.3/16-12	G 1/2	48	37,5	27	27
RV6215.1211	6215-12-11	12	1/2"	13/16-16	G 3/4	51,5	32	27	36
RV6215.1213	6215-12-13	14-16	5/8"	1-14	G 3/4	51,5	33,5	27	36
RV6215.1214	6215-12-14	18-20	3/4"	1.3/16-12	G 3/4	51,5	37,5	27	36
RV6215.1215	6215-12-15	22-25	1"	1.7/16-12	G 3/4	54,5	41,5	36	36
RV6215.1614	6215-16-14	18-20	3/4"	1.3/16-12	G 1	59	39,5	36	41
RV6215.1615	6215-16-15	22-25	1"	1.7/16-12	G 1	59	41,5	36	41
RV6215.1621	6215-16-21	28-32	1.1/4"	1.11/16-12	G 1	60,5	44,5	41	41
RV6215.2015	6215-20-15	22-25	1"	1.7/16-12	G 1.1/4	62	43	41	50
RV6215.2021	6215-20-21	28-32	1.1/4"	1.11/16-12	G 1.1/4	62	44,5	41	50
RV6215.2421	6215-24-21	28-32	1.1/4"	1.11/16-12	G 1.1/2	65	46,5	50	55
RV6215.2432	6215-24-32	35-38	1.1/2"	2-12	G 1.1/2	65	49	50	55

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATIÈRE : Acier (sur demande : acier inox aisi 316) - MATERIAL : steel (on request : stainless steel aisi 316°)