


EMBOUTS STANDARD - STANDARD CRIMP FITTINGS

R0030

FEMELLE DROIT METRIQUE CONE 24° SERIE FRANCAISE
METRIC FEMALE 24° CONE FRENCH




Code Code	Type	Tuyau ID		Dimensions			
		in	mm	taille	T	C	E
R0030.0520	0030-05-20	5/16	7,9	5	M20-1.5	25	24
R0030.0620	0030-06-20	3/8	9,5	6	M20-1.5	26	24
R0030.0824	0030-08-24	1/2	12,7	8	M24-1.5	28	30
R0030.1030	0030-10-30	5/8	15,9	10	M30-1.5	25	36
R0030.1230	0030-12-30	3/4	19	12	M30-1.5	26	36
R0030.1236	0030-12-36	3/4	19	12	M36-1.5	29	46
R0030.1645	0030-16-45	1	25,4	16	M45-1.5	30	55
R0030.2052	0030-20-52	1.1/4	31,8	20	M52-1.5	34	65

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATIÈRE : Acier (sur demande : acier inox aisi 316) - MATERIAL : steel (on request : stainless steel aisi 316°)

R0035

FEMELLE DROIT METRIQUE CONE 24°
METRIC FEMALE 24° SEAT LIGHT




Code Code	Type	Tuyau ID		Dimensions					
		in	mm	taille	T	De	C	E	
R0035.0312	0035-03-12	3/16	4,8	3	M12-1.5	6	19	14	
R0035.0316	0035-03-16	3/16	4,8	3	M16-1.5	10	18	19	
R0035.0414	0035-04-14	1/4	6,4	4	M14-1.5	8	19	17	
R0035.0416	0035-04-16	1/4	6,4	4	M16-1.5	10	19	19	
R0035.0516	0035-05-16	5/16	7,9	5	M16-1.5	10	19	19	
R0035.0518	0035-05-18	5/16	7,9	5	M18-1.5	12	21	22	
R0035.0618	0035-06-18	3/8	9,5	6	M18-1.5	12	23	22	
R0035.0622	0035-06-22	3/8	9,5	6	M22-1.5	15	22	27	
R0035.0822	0035-08-22	1/2	12,7	8	M22-1.5	15	22	27	
R0035.0826	0035-08-26	1/2	12,7	8	M26-1.5	18	24	32	
R0035.1026	0035-10-26	5/8	15,9	10	M26-1.5	18	24	32	

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

R0084

FEMELLE DROIT METRIQUE CONE 24° DIN 2353 SERIES
METRIC FEMALE 24° SEAT HEAVY




Code Code	Type	Tuyau ID		Dimensions				
		in	mm	taille	T	De	C	E
R0084.0316	0084-03-16	3/16	4,8	3	M16-1.5	8	25	19
R0084.0414	0084-04-14	1/4	6,4	4	M14-1.5	6	23	17
R0084.0416	0084-04-16	1/4	6,4	4	M16-1.5	8	25	19
R0084.0418	0084-04-18	1/4	6,4	4	M18-1.5	10	24	22
R0084.0518	0084-05-18	5/16	7,9	5	M18-1.5	10	24	22
R0084.0520	0084-05-20	5/16	7,9	5	M20-1.5	12	26	24
R0084.0618	0084-06-18	3/8	9,5	6	M18-1.5	10	25	22
R0084.0620	0084-06-20	3/8	9,5	6	M20-1.5	12	25	24
R0084.0622	0084-06-22	3/8	9,5	6	M22-1.5	14	29	27
R0084.0822	0084-08-22	1/2	12,7	8	M22-1.5	14	17	27
R0084.0824	0084-08-24	1/2	12,7	8	M24-1.5	16	30	30
R0084.0830	0084-08-30	1/2	12,7	8	M30-2	20	33	36
R0084.1030	0084-10-30	5/8	15,9	10	M30-2	20	33	36
R0084.1230	0084-12-30	3/4	19	12	M30-2	20	34	36
R0084.1236	0084-12-36	3/4	19	12	M36-2	25	40	46
R0084.1636	0084-16-36	1	25,4	16	M36-2	25	41	46
R0084.1642	0084-16-42	1	25,4	16	M42-2	30	43	50
R0084.2052	0084-20-52	1.1/4	31,8	20	M52-2	38	44	60
R0084.2452	0084-24-52	1.1/2	38,1	24	M52-2	38	44	60

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATIÈRE : Acier (sur demande : acier inox aisi 316) - MATERIAL : steel (on request : stainless steel aisi 316°)

R0085

FEMELLE DROIT METRIQUE CONE 24° DIN 2353 SERIES
METRIC FEMALE 24° SEAT LIGHT




Code Code	Type	Tuyau ID		Dimensions					
		in	mm	taille	T	De	C	E	
R0085.0312	0085-03-12	3/16	4,8	3	M12-1.5	6	23	14	
R0085.0414	0085-04-14	1/4	6,4	4	M14-1.5	8	24	17	
R0085.0416	0085-04-16	1/4	6,4	4	M16-1.5	10	24	19	
R0085.0418	0085-04-18	1/4	6,4	4	M18-1.5	12	25	22	
R0085.0516	0085-05-16	5/16	7,9	5	M16-1.5	10	24	19	
R0085.0518	0085-05-18	5/16	7,9	5	M18-1.5	12	25	22	
R0085.0618	0085-06-18	3/8	9,5	6	M18-1.5	12	25	22	
R0085.0622	0085-06-22	3/8	9,5	6	M22-1.5	15	29	27	
R0085.0822	0085-08-22	1/2	12,7	8	M22-1.5	15	29	27	
R0085.0826	0085-08-26	1/2	12,7	8	M26-1.5	18	29	32	
R0085.1026	0085-10-26	5/8	15,9	10	M26-1.5	18	29	32	
R0085.1030	0085-10-30	5/8	15,9	12	M30-2	22	29	36	
R0085.1230	0085-12-30	3/4	19	12	M30-2	22	29	36	
R0085.1236	0085-12-36	3/4	19	12	M36-2	28	28	41	
R0085.1636	0085-16-36	1	25,4	16	M36-2	28	30	41	
R0085.2045	0085-20-45	1.1/4	31,8	20	M45-2	35	40	50	
R0085.2452	0085-24-52	1.1/2	38,1	24	M52-2	42	41	60	

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

FEMELLE DROIT METRIQUE CONE 60° DIN 3863
METRIC FEMALE 60° CONE

R0100



Code Code	Type	Tuyau ID		Dimensions			
		in	mm	taille	T	C	E
R0100.1230	0100-12-30	3/4	19	12	M30-1.5	23	36
R0100.1638	0100-16-38	1	25,4	16	M38-1.5	33	46
R0100.2045	0100-20-45	1.1/4	31,8	20	M45-1.5	34	50
R0100.2452	0100-24-52	1.1/2	38	24	M52x1,5	35	60
R0100.3265	0100-32-65	2	50,8	32	M65-2	31	75

--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--


--	--	--	--	--	--	--	--

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATIÈRE : Acier (sur demande : acier inox aisi 316) - MATERIAL : steel (on request : stainless steel aisi 316°)

MALE DROIT METRIQUE CONE 24° SERIE FRANCAISE GAZ
METRIC MALE 24° FRENCH TYPE GAZ

R0430




Code Code	Type	Tuyau ID		Dimensions				
		in	mm	taille	T	De	C	E
R0430.0420	0430-04-20	1/4	6,4	4	M20-1.5	13,25	22	27
R0430.0518	0430-05-18	5/16	7,9	5	M18-1.5	12	19	27
R0430.0520	0430-05-20	5/16	7,9	5	M20-1.5	13,25	22	27
R0430.0524	0430-05-24	5/16	7,9	5	M24-1.5	16,75	27	27
R0430.0620	0430-06-20	3/8	9,5	6	M20-1.5	13,25	22	27
R0430.0624	0430-06-24	3/8	9,5	6	M24-1.5	16,75	27	27
R0430.0820	0430-08-20	1/2	12,7	8	M20-1.5	13,25	22	27
R0430.0824	0430-08-24	1/2	12,7	8	M24-1.5	16,75	27	28
R0430.0830	0430-08-30	1/2	12,7	8	M30-1.5	21,25	32	31
R0430.1030	0430-10-30	5/8	15,9	10	M30-1.5	21,25	32	31
R0430.1230	0430-12-30	3/4	19	12	M30-1.5	21,25	32	31
R0430.1236	0430-12-36	3/4	19	12	M36-1.5	26,75	36	33
R0430.1645	0430-16-45	1	25,4	16	M45-1.5	33,25	46	38
R0430.2052	0430-20-52	1.1/4	31,8	20	M52-1.5	42,25	55	41

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MALE DROIT METRIQUE CONE 60° DIN 3863
METRIC MALE 60° CONE

R0400




Code Code	Type	Tuyau ID		Dimensions			
		in	mm	taille	T	C	E
R0400.0310	0400-03-10	3/16	4,8	3	M10-1	19	14
R0400.0312	0400-03-12	3/16	4,8	3	M12-1.5	25	17
R0400.0410	0400-04-10	1/4	6,4	4	M10-1	20	14
R0400.0412	0400-04-12	1/4	6,4	4	M12-1.5	26	17
R0400.0414	0400-04-14	1/4	6,4	4	M14-1.5	26	19
R0400.0416	0400-04-16	1/4	6,4	4	M16-1.5	26	22
R0400.0512	0400-05-12	5/16	7,9	5	M12-1.5	26	17
R0400.0516	0400-05-16	5/16	7,9	5	M16-1.5	26	22
R0400.0518	0400-05-18	5/16	7,9	5	M18-1.5	26	24
R0400.0614	0400-06-14	3/8	9,5	6	M14-1.5	26	19
R0400.0616	0400-06-16	3/8	9,5	6	M16-1.5	26	22
R0400.0618	0400-06-18	3/8	9,5	6	M18-1.5	27	24
R0400.0622	0400-06-22	3/8	9,5	6	M22-1.5	27	27
R0400.0818	0400-08-18	1/2	12,7	8	M18-1.5	28	24
R0400.0822	0400-08-22	1/2	12,7	8	M22-1.5	30	27
R0400.1026	0400-10-26	5/8	15,9	10	M26-1.5	32	32
R0400.1226	0400-12-26	3/4	19	12	M26-1.5	33	32
R0400.1230	0400-12-30	3/4	19	12	M30-1.5	36	36
R0400.1638	0400-16-38	1	25,4	16	M38-1.5	37	46
R0400.2045	0400-20-45	1.1/4	31,8	20	M45-1.5	39	55

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATIÈRE : Acier (sur demande : acier inox aisi 316) - MATERIAL : steel (on request : stainless steel aisi 316°)

MALE DROIT METRIQUE CONE 24° DIN 2353 SERIES
METRIC MALE 24° SEAT HEAVY

R0450




Code Code	Type	Tuyau ID		Dimensions				
		in	mm	taille	T	De	C	E
R0450.0316	0450-03-16	3/16	4,8	3	M16-1.5	8	26	17
R0450.0414	0450-04-14	1/4	6,4	4	M14-1.5	6	25	14
R0450.0416	0450-04-16	1/4	6,4	4	M16-1.5	8	27	17
R0450.0418	0450-04-18	1/4	6,4	4	M18-1.5	10	27	19
R0450.0516	0450-05-18	5/16	7,9	5	M18-1.5	10	27	19
R0450.0520	0450-05-20	5/16	7,9	5	M20-1.5	12	29	22
R0450.0618	0450-06-18	3/8	9,5	6	M18-1.5	10	27	19
R0450.0620	0450-06-20	3/8	9,5	6	M20-1.5	12	29	22
R0450.0622	0450-06-22	3/8	9,5	6	M22-1.5	14	31	22
R0450.0618	0450-06-24	3/8	9,5	6	M24-1.5	16	31	24
R0450.0824	0450-08-24	1/2	12,7	8	M24-1.5	16	32	24
R0450.1030	0450-10-30	5/8	15,9	10	M30-2	20	34	30
R0450.1230	0450-12-30	3/4	19	12	M30-2	20	35	30
R0450.1236	0450-12-36	3/4	19	12	M36-2	25	38	36
R0450.1636	0450-16-36	1	25,4	16	M36-2	25	39	36
R0450.1642	0450-16-42	1	25,4	16	M42-2	30	42	46
R0450.2042	0450-20-42	1.1/4	31,8	20	M42-2	30	43	46
R0450.2052	0450-20-52	1.1/4	31,8	20	M52-2	38	45	55
R0450.2452	0450-24-52	1.1/2	38,1	24	M52-2	38	45	55

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

EMBOUTS STANDARD - STANDARD CRIMP FITTINGS


R0500

MALE DROIT METRIQUE CONE 24° DIN 2353 SERIE L
METRIC MALE 24° SEAT LIGHT



R0550

FEMELLE DROIT METRIQUE CONE 24°
METRIC FEMALE 24° SEAT LIGHT



Code Code	Type	Tuyau ID		Dimensions				
		in	mm	taille	T	De	C	E
R0500.0312	0500-03-12	3/16	4,8	3	M12-1.5	6	22	14
R0500.0412	0500-04-12	1/4	6,4	4	M12-1.5	6	23	14
R0500.0414	0500-04-14	1/4	6,4	4	M14-1.5	8	22	14
R0500.0416	0500-04-16	1/4	6,4	4	M16-1.5	10	23	17
R0500.0418	0500-04-18	1/4	6,4	4	M18-1.5	12	24	19
R0500.0514	0500-05-14	5/16	7,9	5	M14-1.5	8	22	14
R0500.0516	0500-05-16	5/16	7,9	5	M16-1.5	10	23	17
R0500.0518	0500-05-18	5/16	7,9	5	M18-1.5	12	24	19
R0500.0522	0500-05-22	5/16	7,9	5	M22-1.5	15	25	22
R0500.0616	0500-06-16	3/8	9,5	6	M16-1.5	10	23	17
R0500.0618	0500-06-18	3/8	9,5	6	M18-1.5	12	24	19
R0500.0622	0500-06-22	3/8	9,5	6	M22-1.5	15	25	22
R0500.0818	0500-08-18	1/2	12,7	8	M18-1.5	12	25	19
R0500.0822	0500-08-22	1/2	12,7	8	M22-1.5	15	26	22
R0500.0826	0500-08-26	1/2	12,7	8	M26-1.5	18	27	27
R0500.1022	0500-10-22	5/8	15,9	10	M22-1.5	15	26	22
R0500.1026	0500-10-26	5/8	15,9	10	M26-1.5	18	27	27
R0500.1030	0500-10-30	5/8	15,9	10	M30-2	22	32	30
R0500.1226	0500-12-26	3/4	19	12	M26-1.5	18	28	27
R0500.1230	0500-12-30	3/4	19	12	M30-2	22	33	30
R0500.1636	0500-16-36	1	25,4	16	M36-2	28	32	36
R0500.2045	0500-20-45	1.1/4	31,8	20	M45-2	35	36	46
R0500.2452	0500-24-52	1.1/2	38,1	24	M52-2	42	38	55

Code Code	Type	Tuyau ID		Dimensions			
		in	mm	taille	T	Type	C
R0550.0306	0550-03-06	3/16	4,8	3	6	L/S	30
R0550.0308	0550-03-08	3/16	4,8	3	8	L/S	29
R0550.0406	0550-04-06	1/4	6,4	4	6	L/S	32
R0550.0408	0550-04-08	1/4	6,4	4	8	L/S	30
R0550.0410	0550-04-10	1/4	6,4	4	10	L/S	33
R0550.0412	0550-04-12	1/4	6,4	4	12	L/S	30
R0550.0508	0550-05-08	5/16	7,9	5	8	L/S	31
R0550.0510	0550-05-10	5/16	7,9	5	10	L/S	31
R0550.0512	0550-05-12	5/16	7,9	5	12	L/S	33
R0550.0608	0550-06-08	3/8	9,5	6	8	L/S	33
R0550.0610	0550-06-10	3/8	9,5	6	10	L/S	33
R0550.0612	0550-06-12	3/8	9,5	6	12	L/S	32
R0550.0614	0550-06-14	3/8	9,5	6	14	S	37
R0550.0615	0550-06-15	3/8	9,5	6	15	L	32
R0550.0812	0550-08-12	1/2	12,7	8	12	L/S	36
R0550.0814	0550-08-14	1/2	12,7	8	14	S	39
R0550.0815	0550-08-15	1/2	12,7	8	15	L	34
R0550.0816	0550-08-16	1/2	12,7	8	16	S	39
R0550.0818	0550-08-18	1/2	12,7	8	18	L	35
R0550.0820	0550-08-20	1/2	12,7	8	20	S	45
R0550.1018	0550-10-18	5/8	15,9	10	18	L	35
R0550.1020	0550-10-20	5/8	15,9	10	20	S	45
R0550.1022	0550-10-22	5/8	15,9	10	22	L	33
R0550.1218	0550-12-18	3/4	19	12	18	L	37
R0550.1220	0550-12-20	3/4	19	12	20	S	46
R0550.1222	0550-12-22	3/4	19	12	22	L	38
R0550.1225	0550-12-25	3/4	19	12	25	S	49
R0550.1228	0550-12-28	3/4	19	12	28	L	40
R0550.1625	0550-16-25	1	25,4	16	25	S	51
R0550.1628	0550-16-28	1	25,4	16	28	L	41
R0550.1630	0550-16-30	1	25,4	16	30	S	54
R0550.1638	0550-16-38	1	25,4	16	38	S	60
R0550.2030	0550-20-30	1.1/4	31,8	20	30	S	58
R0550.2035	0550-20-35	1.1/4	31,8	20	35	L	48
R0550.2038	0550-20-38	1.1/4	31,8	20	38	S	62
R0550.2438	0550-24-38	1.1/2	38,1	24	38	S	63
R0550.2442	0550-24-42	1.1/2	38,1	24	42	L	50


AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATIÈRE : Acier (sur demande : acier inox aisi 316) - MATERIAL : steel (on request : stainless steel aisi 316°)

R1350

BANJO OEIL METRIQUE METRIC BANJO



Code Code	Type	Tuyau ID		Dimensions			
		in	mm	taille	mm	C	R
R1350.0310	1350-03-10	3/16	4,8	3	10,2	25	17
R1350.0312	1350-03-12	3/16	4,8	3	12,2	21	20
R1350.0410	1350-04-10	1/4	6,4	4	10,2	25	17
R1350.0412	1350-04-12	1/4	6,4	4	12,2	22	20
R1350.0414	1350-04-14	1/4	6,4	4	14,2	25	24
R1350.0514	1350-05-14	5/16	7,9	5	14,2	25	24
R1350.0516	1350-05-16	5/16	7,9	5	16,2	31	28
R1350.0518	1350-05-18	5/16	7,9	5	18,2	29	32
R1350.0614	1350-06-14	3/8	9,5	6	14,2	25	24
R1350.0616	1350-06-16	3/8	9,5	6	16,2	31	28
R1350.0618	1350-06-18	3/8	9,5	6	18,2	29	32
R1350.0622	1350-06-22	3/8	9,5	6	22,2	31	36
R1350.0816	1350-08-16	1/2	12,7	8	16,2	30	28
R1350.0818	1350-08-18	1/2	12,7	8	18,2	29	32
R1350.0822	1350-08-22	1/2	12,7	8	22,2	31	36
R1350.1022	1350-10-22	5/8	15,9	10	22,2	31	36
R1350.1026	1350-10-26	5/8	15,9	10	26,5	38	45
R1350.1222	1350-12-22	3/4	19	12	22,2	32	36

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATIÈRE : Acier (sur demande : acier inox aisi 316) - MATERIAL : steel (on request : stainless steel aisi 316°)