










EMBOUS INTERLOCK
INTER-LOCK CRIMP FITTINGS

	Description - Description		Type	Page
	EMBOUT INTERLOCK DROIT METRIQUE INTER-LOCK STRAIGHT METRIC CRIMP FITTING	CONE 24°	R0084H R0450H	52
	EMBOUT INTERLOCK COUDE METRIQUE INTER-LOCK ELBOW METRIC CRIMP FITTING	CONE 24°	R0184H R0284H	52
	EMBOUT INTERLOCK DROIT BSP INTER-LOCK STRAIGHT BSP CRIMP FITTING	CONE 60°	R0050H R0350H	53
	EMBOUT INTERLOCK COUDE BSP INTER-LOCK ELBOW BSP CRIMP FITTING	CONE 60°	R0150H R0250H	53
	EMBOUT INTERLOCK DROIT JIC INTER-LOCK STRAIGHT JIC CRIMP FITTING	CONE 74°	R0850H R0900H	54
	EMBOUT INTERLOCK COUDE JIC INTER-LOCK ELBOW JIC CRIMP FITTING	CONE 74°	R0950H R1000H	54
	EMBOUT INTERLOCK DROIT ORFS INTER-LOCK STRAIGHT ORFS CRIMP FITTING		RS050H	55
	EMBOUT INTERLOCK COUDE ORFS INTER-LOCK ELBOW ORFS CRIMP FITTING		RS150H	55

FEMELLE DROIT BSP CONE 60° ECROU A JONC
BSP FEMALE 60° CONE THRUST WIRE

R0050H




Code	Type	Tuyau ID		Dimensions				
		in	mm	TAILLE	T	E	C	
R0050H1212	0050H12-12	3/4	19	12	3/4-14	32	23	
R0050H1216	0050H12-16	3/4	19	12	1-11	38	25	
R0050H1616	0050H16-16	1	25,4	16	1-11	38	26	
R0050H2020	0050H20-20	1.1/4	31,8	20	1.1/4-11	50	29	
R0050H2024	0050H20-24	1.1/4	31,8	20	1.1/2-11	55	31	
R0050H2424	0050H24-24	1.1/2	38,1	24	1.1/2-11	55	31	
R0050H3232	0050H32-32	2	50,8	32	2-11	70	30	

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MALE DROIT BSP CONE 60°
BSP MALE PARALLEL 60° CONE

R0350H




Code	Type	Tuyau ID		Dimensions				
		in	mm	TAILLE	T	E	C	
R0350H1212	0350H12-12	3/4	19	12	3/4-14	32	33	
R0350H1216	0350H12-16	3/4	19	12	1-11	41	36	
R0350H1616	0350H16-16	1	25,4	16	1-11	41	37	
R0350H1620	0350H16-20	1	25,4	16	1.1/4-11	50	41	
R0350H2020	0350H20-20	1.1/4	31,8	20	1.1/4-11	50	42	
R0350H2424	0350H24-24	1.1/2	38,1	24	1.1/2-11	55	44	
R0350H3232	0350H32-32	2	50,8	32	2-11	70	53	

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATERIEL : ACIER (SUR DEMANDE : ACIER INOX AISI 316) - MATERIAL : STEEL (ON REQUEST : STAINLESS STEEL AISI 316®)

FEMELLE 90° COUDE BSP CONE 60° ECROU A JONC
BSP 90° SWEEP ELBOW 60° CONE THRUST WIRE

R0150H




Code	Type	Tuyau ID		Dimensions				
		in	mm	TAILLE	T	E	H	C
R0150H1212	0150H12-12	3/4	19	12	3/4-14	32	57	54
R0150H1616	0150H16-16	1	25,4	16	1-11	38	70	73
R0150H1620	0150H16-20	1	25,4	16	1.1/4-11	50	76	73
R0150H2020	0150H20-20	1.1/4	31,8	20	1.1/4-11	50	83	93
R0150H2424	0150H24-24	1.1/2	38,1	24	1.1/2-11	55	104	111
R0150H3232	0150H32-32	2	50,8	32	2-11	70	135	122

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

FEMELLE 45° COUDE BSP CONE 60° ECROU A JONC
BSP 45° SWEEP ELBOW 60° CONE - THRUST WIRE NUT

R0250H




Code	Type	Tuyau ID		Dimensions				
		in	mm	TAILLE	T	E	H	C
R0250H1212	0250H12-12	3/4	19	12	3/4-14	32	28	84
R0250H1616	0250H16-16	1	25,4	16	1-11	38	38	112
R0250H2020	0250H20-20	1.1/4	31,8	20	1.1/4-11	50	41	137
R0250H2424	0250H24-24	1.1/2	38,1	24	1.1/2-11	55	54	166
R0250H3232	0250H32-32	2	50,8	32	2-11	70	70	195

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATERIEL : ACIER (SUR DEMANDE : ACIER INOX AISI 316) - MATERIAL : STEEL (ON REQUEST : STAINLESS STEEL AISI 316®)

R0084H

FEMELLE DROIT METRIQUE CONE 24° SERIE LOURDE
METRIC FEMALE 24° - SEAT HEAVY




Code	Type	Tuyau ID		Dimensions					
		in	mm	TAILLE	T	De	E	C	
R0084H1236	0084H12-36	3/4	19	12	M36-2	25	46	37	
R0084H1636	0084H16-36	1	25,4	16	M36-2	25	46	38	
R0084H1642	0084H16-42	1	25,4	16	M42-2	30	50	41	
R0084H2052	0084H20-52	1.1/4	31,8	20	M52-2	38	60	41	
R0084H2452	0084H24-52	1.1/2	38,1	24	M52-2	38	60	42	

De = Diamètre tube hydraulique en acier - Feed pipe diameter

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

R0450H

MALE DROIT METRIQUE CONE 24° SERIE LOURDE
METRIC MALE 24° - SEAT HEAVY



Code	Type	Tuyau ID		Dimensions					
		in	mm	TAILLE	T	De	E	C	
R0450H1236	0450H12-36	3/4	19	12	M36-2	25	36	36	
R0450H1642	0450H16-42	1	25,4	16	M42-2	30	46	39	
R0450H2052	0450H20-52	1.1/4	31,8	20	M52-2	38	55	42	
R0450H2452	0450H24-52	1.1/2	38,1	24	M52-2	38	55	42,5	


De = Diamètre tube hydraulique en acier - Feed pipe diameter

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATERIEL : ACIER (SUR DEMANDE : ACIER INOX AISI 316) - MATERIAL : STEEL (ON REQUEST : STAINLESS STEEL AISI 316®)

R0184H

FEMELLE 90° COUDE METRIQUE CONE 24° DIN SERIE LOURDE
90° METRIC SWEPT ELBOW 24° - SEAT HEAVY




Code	Type	Tuyau ID		Dimensions					
		in	mm	TAILLE	T	De	E	H	C
R0184H1236	0184H12-36	3/4	19	12	M36-2	25	46	58	55
R0184H1636	0184H16-36	1	25,4	16	M36-2	25	46	68	75
R0184H1642	0184H16-42	1	25,4	16	M42-2	30	50	69	74
R0184H2052	0184H20-52	1.1/4	31,8	20	M52-2	38	60	81	94

De = Diamètre tube hydraulique en acier - Feed pipe diameter

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

R0284H

FEMELLE 45° COUDE METRIQUE CONE 24° DIN SERIE LOURDE
45° METRIC SWEPT ELBOW 24° SEAT HEAVY



Code	Type	Tuyau ID		Dimensions					
		in	mm	TAILLE	T	De	E	H	C
R0284H1236	0284H12-36	3/4	19	12	M36-2	25	46	31	94
R0284H1636	0284H16-36	1	25,4	16	M36-2	25	46	34	110
R0284H1642	0284H16-42	1	25,4	16	M42-2	30	50	33	112
R0284H2052	0284H20-52	1.1/4	31,8	20	M52-2	38	60	81	93


De = Diamètre tube hydraulique en acier - Feed pipe diameter

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATERIEL : ACIER (SUR DEMANDE : ACIER INOX AISI 316) - MATERIAL : STEEL (ON REQUEST : STAINLESS STEEL AISI 316®)

R0850H

MALE DROIT JIC CONE 74°
JIC MALE 74° CONE




Code	Type	Tuyau ID		Dimensions				
		in	mm	TAILLE	T	E	C	
R0850H1212	0850H12-12	3/4	19	12	1.1/16-12	27	36	
R0850H1616	0850H16-16	1	25,4	16	1.5/16-12	34	40	
R0850H2020	0850H20-20	1.1/4	31,8	20	1.5/8-12	42	44	
R0850H2424	0850H24-24	1.1/2	38,1	24	1.7/8-12	50	49	
R0850H3232	0850H32-32	2	50,8	32	2.1/2-12	65	61	

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

R0900H

FEMELLE DROIT JIC CONE 74° ECROU A JONC
JIC FEMALE 74° - THRUST WIRE NUT




Code	Type	Tuyau ID		Dimensions				
		in	mm	TAILLE	T	E	C	
R0900H1212	0900H12-12	3/4	19	12	1.1/16-12	32	19	
R0900H1216	0900H12-16	3/4	19	12	1.5/16-12	41	22	
R0900H1616	0900H16-16	1	25,4	16	1.5/16-12	41	23	
R0900H2020	0900H20-20	1.1/4	31,8	20	1.5/8-12	50	26	
R0900H2424	0900H24-24	1.1/2	38,1	24	1.7/8-12	55	29	
R0900H3232	0900H32-32	2	50,8	32	2.1/2-12	70	30	

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATERIEL : ACIER (SUR DEMANDE : ACIER INOX AISI 316) - MATERIAL : STEEL (ON REQUEST : STAINLESS STEEL AISI 316®)

R0950H

FEMELLE 90° COUDE JIC CONE 74° ECROU A JONC MONOBLOC
JIC 90° SWEPT ELBOW 74° CONE - THRUST WIRE NUT




Code	Type	Tuyau ID		Dimensions				
		in	mm	TAILLE	T	E	H	C
R0950H1212	0950H12-12	3/4	19	12	1.1/16-12	32	54	54
R0950H1216	0950H12-16	3/4	19	12	1.5/16-12	41	62	54
R0950H1616	0950H16-16	1	25,4	16	1.5/16-12	41	66	77
R0950H2020	0950H20-20	1.1/4	31,8	20	1.5/8-12	50	86	92
R0950H2424	0950H24-24	1.1/2	38,1	24	1.7/8-12	55	100	112
R0950H3232	0950H32-32	2	50,8	32	2.1/2-12	70	134	121

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

R1000H

FEMELLE 45° COUDE JIC CONE 74° ECROU A JONC MONOBLOC
JIC 45° SWEPT ELBOW 74° CONE - THRUST WIRE NUT




Code	Type	Tuyau ID		Dimensions				
		in	mm	TAILLE	T	E	H	C
R1000H1212	1000H12-12	3/4	19	12	1.1/16-12	32	28	85
R1000H1216	1000H12-16	3/4	19	12	1.5/16-12	41	32	88
R1000H1616	1000H16-16	1	25,4	16	1.5/16-12	41	36	113
R1000H2020	1000H20-20	1.1/4	31,8	20	1.5/8-12	50	50	133
R1000H2424	1000H24-24	1.1/2	38,1	24	1.7/8-12	55	49	165
R1000H3232	1000H32-32	2	50,8	32	2.1/2-12	70	67	194

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATERIEL : ACIER (SUR DEMANDE : ACIER INOX AISI 316) - MATERIAL : STEEL (ON REQUEST : STAINLESS STEEL AISI 316®)

FEMELLE DROIT ORFS
ORFS FEMALE

RS050H




Code	Type	Tuyau ID		Dimensions				
		in	mm	TAILLE	T	E	C	
RS050.H1214	S050H12-14	3/4	19	12	1.3/16-12	36	33	
RS050.H1615	S050H16-15	1	25,4	16	1.7/16-12	41	37	
RS050.H1621	S050H16-21	1	25,4	16	1.11/16-12	50	35,5	
RS050.H2021	S050H20-21	1.1/4	31,8	20	1.11/16-12	50	37	
RS050.H2032	S050H20-32	1.1/4	31,8	20	2-12	60	36,7	
RS050.H2432	S050H24-32	1.1/2	38,1	24	2-12	60	41	

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

FEMELLE 90° COUDE ORFS MONOBLOC
ORFS 90° SWEPT ELBOW

RS150H



Code	Type	Tuyau ID		Dimensions					
		in	mm	TAILLE	T	E	H	C	
RS150.H1214	S150H12-14	3/4	19	12	1.3/16-12	36	49	54	
RS150.H1615	S150H16-15	1	25,4	16	1.7/16-12	41	66	69	
RS150.H2021	S150H20-21	1.1/4	31,8	20	1.11/16-12	50	80	87	
RS150.H2432	S150H24-32	1.1/2	38,1	24	2-12	60	102	111	

AUTRES DIMENSIONS CONSULTER NOTRE SITE INTERNET / OTHER DIMENSIONS CONSULT OUR WEBSITE

MATERIEL : ACIER (SUR DEMANDE : ACIER INOX AISI 316) - MATERIAL : STEEL (ON REQUEST : STAINLESS STEEL AISI 316®)